



Paint Pockets® Company

Safety Data Sheet

I. Product and Company Identification

Style Number:	PP_***_***_*** (all sizes)
Description:	Paint Pockets® Nonwoven Synthetic Filter Media
Recommended Use:	Filtration of particulate from an airstream
Company Information:	Paint Pockets® Company 915 N 43rd Ave Omaha, NE 68131
Emergency Contact:	Phone: 402-341-2823
General Information:	Fax: 402-341-8516 Email: info@paintpockets.com
Date:	10/21/2018

II. Hazards Identification

Hazard Classification:	This material is not hazardous under the criteria of the Federal OSHA Communication Standard 29CFR 1910.1200.
Eye Contact:	Not expected to be eye irritant
Skin Contact:	Not expected to irritate the skin
Inhalation:	Vapors should not be present in normal condition
Ingestion:	No Data
Skin Absorption:	No hazards expected
Physical Hazards:	None
Environmental Hazards:	Not Determined
Potential Environmental Effects:	Not Determined

III. Composition/Information on Ingredients

Chemical Name:	Proprietary product composed of acrylic binder, polyethyleneterephthalate and polypropylene.
Common Name:	Polyester highloft

There are no known physical or health hazards associated with this product.

However, exposure to chemical substances may occur as a result of processing these fibers. Processing may release the residual moisture and surface finishes. Excessive heating the fibers may volatilize the finishes or produce a chemical vapors.

IV. First Aid Measures

Inhalation:	Move to fresh air
--------------------	-------------------

Skin:	Product is not expected to be hazardous by skin contact. Should irritation occur wash affected area with soap and water. If irritation persists seek medical attention.
Eye:	Rinse with plenty of water. If irritation persists seek medical attention.
Ingestion:	Do not induce vomiting. Seek medical attention if necessary.

Indication of Any Immediate Medical Attention and Special Treatment Needed:

Notes to Physician: Treat symptomatically

V. Fire Fighting Measures

Flash Point:	Not Determined. Products melt at 250-260degC
Extinguishing Media:	Water, Carbon Dioxide, water- spray
Specific Hazards:	May burn, but does not readily ignite. Molten Polymer will tend to adhere to surfaces until cooled
Hazardous Combustion Products:	Irritating and toxic gases or fumes may be released during a fire. Carbon Monoxide, carbon dioxide, acrylic monomers, various hydrocarbon fragments as well as thick smoke.
Equipment and Instructions:	Wear full protective clothing, including self-contained, positive pressure breathing apparatus

VI. Accidental Release Measures.

Personal Precautions:	Spilled material may create a trip hazard
Emergency Procedures:	No emergency procedures are expected to be necessary if material is used under ordinary conditions as recommended.
Environmental Precautions:	Avoid discharge into natural waterways; Prevent product from entering the drains and sewers.
Method/ Materials for Containment/ Clean up:	Clean up method is to sweep and collect the material. Material can be loaded into a box or bag for containment. This product is not classified as hazardous waste. Unless prohibited by state or local regulations, it can be disposed in municipal landfills.

VII. Handling and Storage

Handling:	When fiber products are cut, chopped, or manipulated in other similar methods, some dust may be produced. Use good housekeeping methods to keep accumulations of dust to a minimum. Use industry standards for handling product, no special precautions required.
Storage:	Store in Dry areas away from sources of ignition.

VIII. Exposure Controls/Personal Protective Equipment

Exposure Limits:	None established.
Eye Protection:	Not normally required but good safety practices should be followed.
Skin Protection:	Not normally required but good safety practices should be followed.
Respiratory Protection:	Not normally required if good ventilation is maintained.

Additional Protective Measures:	Wash hands after handling the material.
Other Information:	Molten polymer or prolonged air drying of polymer above 195°F will release small quantities of acetaldehyde (CAS#75-07-0)

IX. Physical and Chemical Properties

Appearance:	Stabilized fibrous matrix material of various colors
Odor:	Not determind
Melting Point:	250-260°C
Boiling Point:	Not determind
Specific Gravity:	Data lacking
Solubility in Water:	No

X. Chemical Stability & Reactivity

Stability:	Stable under normal temperatures and pressures
Conditions to Avoid:	Sources of ignition.
Materials to Avoid:	Strong oxidizing/reducing agents
Possibility of Hazardous Reactions:	Hazardous polymerization not indicated
Hazardous Decomposition Products:	Thermal decomposition may yield acrylic monomers.

XI. Toxicological information

Toxicology Information:	Nonwoven synthetic filtration media is nontoxic.	
Potential Health Effects:		
Inhalation:		
Acute (Immediate)	Exposure to dust may cause irritation. Processes such as cutting, grinding, crushing, or impact may result in generation of excessive amonts of airborne dust in the workplace. Nuisance dust may affect lungs but reactions are typically reversible.	
Chronic (Delayed)	No data available.	
Skin:		
Acute (Immediate)	Exposure to dust may cause mechanical irritation.	
Chronic (Delayed)	No data available	
Eye:		
Acute (Immediate)	Exposure to dust may cause mechanical irritation. Excessive concentrations of nuisance dust in the workplace may reduce visibility and may cause unpleasant deposits in eyes.	
Chronic (Delayed)	No data available.	
Ingestion:		
Acute (Immediate)	Excessive concentrations of nuisance dust in the workplace may	
Chronic (Delayed)	No data available.	

XII. Toxicological information

Toxicity:	This product is not expected to produce significant ecotoxicity exposure to aquatic organisms and aquatic systems. Based on similar substances, this material is expected to be essentially non-biodegradable.
Persistence and Degradability:	Material data lacking. Based on the physical properties of this product, significant environmental persistence is not expected.

Bioaccumulative Potential: Material data lacking. Based on the physical properties of this product, significant environmental persistence is not expected.

XIII. Disposal Considerations

Waste Treatment Methods: This product is not classified as hazardous waste. For disposal, incinerate or landfill at a permitted facility in accordance with local, state or federal regulations.

Other Considerations: Based on the relevant use of this material to filter particulate from an airstream, disposal considerations should also address the collected particulate. Consult the particulate manufacture, if possible, and dispose of in accordance with local, state, and federal regulations.

XIV. Transportation Information

Not regulated for transport

XV. Regulatory Information

**Sara Hazard Classifications
California (Proposition 65)**

None

This product may contain trace levels of a component or components known to the state of California to cause cancer

Components

CASRN

Formaldehyde

50-00-0

Acrylamide

79-06-1

Ethyl acrylate

140-88-5

XVI. Other Information

This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed all the information contained in this data sheet which we received from sources outside our company. We believe that information to be correct but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all users and/or situations. It is the users' obligation to evaluate and use this product safely and to comply with all applicable laws and regulation. No statement made in this data sheet shall be construed as a permission or recommendation for the use of any product in a manner that may infringe existing patents. No warranty is made, either express or implied.

Preparation Date: 6/1/2015

Last Revision Date: 10/20/2018